



The Better Choice

Concrete Tanks	
Tank Concrete 22,730 Lt (5,000 Gal) Standard (Wght: 9.5 Ton) Hght 2700mm x Dia: 3500mm	
Tank Concrete 22,730 Lt (5,000 Gal) Squat (Ton) Hght: 2200mm x Dia 4000mm	(Wght: 10)
Tank Concrete 31,820 Lt (7,000 Gal) (Ton) Hght: 2900mm x Dia 4000mm	(Weight: 12)
Septic Tanks & Lids	
Septic Tank 1,600 Ltr Qld Squat 7-10 persons WC only, Hght 1500mm Dia 1680mm	(Wght 2ton)
Septic Tank 1,600 Ltr Standard 7-10 persons WC only Hght 2060mm Dia 1310mm	(Wght 1.7 ton)
Septic Tank 1,600 Ltr Squat 7-10 persons WC only (Wght 1.7 Ton) Hght 1880mm Dia 1480mm	
Septic Tank 2,500 Ltr 30 person WC only/ 10 persons all pupose (2.3 ton) Hght 2000mm Dia 1680mm	
Grey Water tank (Bailing Pit)180 Ltr Wght: 100kg Hght 1200mm x Dia 600mm. incl Lid	
Grey Water tank (Pumpwell) Wght: 750kg Hght1210mm x Dia 1010mm incl. Lid	
Lid Septic 1600Lt 1310mm Diameter (Weight: 200kg) Concrete	
Lid Septic 1600Lt 1350mm Diameter (Weight: 200kg) Concrete	
Lid Septic 1600Lt 1480mm Diameter (Weight: 200kg) Concrete	
Lid Septic 2500Lt Complete 1680mm Diameter (Weight: 300kg) Concrete	
Lid Bailing Pit Wght 14kg, Concrete	600mm Diameter
Lid Pumpwell Wght 100kg, Concrete 1010mm Diameter	
Septic Peep Eye Wght 5kg Concrete 135mm Diameter	
Ring Rubber for septic tanks	
Septic Tank Manhole Wght 35kg Concrete 575mm x 575mm square to suit 2500ltr's	
Septic Tank Manhole for 1600 ltr standard Round 630mm Dia	
Septic Tank Plastic Everhard 3000ltr 1880mm Dia x 1875mm High	
Septic Tank Plastic Everhard 3900ltr 1880mm Dia x 2150mm High	
Risers	
Septic Tank Riser 300mm for (1600 Lt) Standard 100kg Concrete 1310mm Dameter	

Septic Tank Riser 300mm for (1600 Lt) Standard 100kg Concrete, 1350mm Dameter	
Septic Tank Riser 300mm for (1600 Lt) Squat 100kg Concrete	
Septic Tank G/water Riser 600mm for 1600 Lt Standard 200kg Concrete	
Septic Tank G/water Riser 600mm for 1600 Lt Squat 200kg Concrete	
Septic Tank G/water Riser 300mm for 2500 Lt Qld Stnd/Sqt 100kg Concrete	
Septic Tank G/water Riser 600mm for 2500 Lt Qld Stnd/Sqt 200kg Concrete	
Septic Tank G/water Riser 300mm for 500 Lt Pumpwell 80kg Concrete	
Septic Tank G/water Riser 600mm for 500 Lt Pumpwell 160kg Concrete	
Septic Tank G/water Riser 1200mm for 500 Lt Pumpwell 290kg Concrete	
<i>Distribution Boxes</i>	
Box & Lid, 4 Way Knockout Wght 51kg x 390h Concrete	380w x 430 deep
Box, 4 Way Knockout No Lid Wght 41kg x 390h Concrete	380w x 330 deep
Box & Lid Distribution 40mm Brass Outlet 51kg, 380w x 420 dep x 390h Concrete	Wght
Box Distribution 40mm Brass Outlet (No Lid) 380w x 420 deep x 390h Concrete	
Lid Only Suit Distribution Box Concrete, 10kg	Wght
Drain Grate (Galv) Suit Distribution Box	
Pit 600w x 600 deep x 600h Concrete, Deminsions	Inside
Grate (Galv) Suit Pit 600mm, Light Duty	
Grate (Galv) Suit Pit 600mm, Heavy Duty	
Grease Trap Everhard Plastic (Rnd) 45ltr	
Box Combined (Water Meter) Wght 11kg Concrete	
<i>Concrete Troughs</i>	
Trough Concrete (Round) 455ltr (100 gal) (4ft) 1200mm dia x 450mm 100mm washout & 50mm inlet	(Incl
Trough Concrete (Round) 1364ltr (300 gal) (6ft) 1800mm dia x 600mm (Incl 100mm washout & 50mm inlet)	
Trough Concrete (Round) 2273ltr (500 gal) (8ft) 2400mm dia x 600mm 100mm washout & 50mm inlet	(Incl
Trough Concrete (Standard) 360ltr (80 gal) (8ft long x 2ft wide) 2550mm long x 730mm wide (Fixed ends. Incl 100mm washout & 50mm inlet)	
Trough Concrete - (One fixed end) (8ft long x 2ft wide) with 100mm Washout Weight: 750kg	

Trough Concrete - (One fixed end) long x 2ft wide) with 50mm inlet 750kg	(8ft) Weight:
Trough Concrete - (mid section) long x 2ft wide) 700kg	(8ft) Weight:
Leg Support – Weight: 40kg Each Concrete To suit (8ft long x 2ft wide)	
Trough Rubber – Each suit (8ft long x 2ft wide)	To
Float Cover Wght: 50kg Concrete suit (8ft long x 2ft wide)	To
Trough Concrete (Rectangle) 1136ltr (250 gal) (10ft x 3ft) 3210mm long x 1100mm wide 100mm washout & with 50mm inlet)	(Incl
Trough Concrete (Rectangle) 908ltr (200 gal) (8ft x 3ft) 2460mm long x 1085mm wide 100mm washout & with 50mm inlet)	(Incl
Float Cover, Trough (Concrete) (To Suit 10ft x 3ft and 8ft x 3ft)	
Float Cover, Trough (Poly) Suit 10ft x 3ft and 8ft x 3ft) supplied to secure float cover to trough)	(To (Bolts
Float & Ball 2 inch, pressure) 9 inch ball	(High
Float Only	
Washout – Cap Only 1”	
Washout – Cap Only 2 1/2”	
Washout – Cap Only 4”	
Grids	
Grid Buttresses – Each Weight: 1.2 tonne Concrete, (4000mm long x 500 high x 400 wide) (Grid seat measurements 150mm in x 200mm high)	
Grid Mid Support (To suit grid buttresses) Weight: 1tonne Concrete 4000mm long x 300mmh x 400 wide)	(
Grid Steel 12’ x 8’	
Laundry Tubs	
Laundry Tub Twin (55Ltr each compartment) Weight 102kg, 970L x 380H x 500mm at top tapering to 450mm At bottom	
Laundry Tub Legs (560mm high) Weight 51kg for both, Concrete	
Garden Borders	
Border Garden L Shape - 300mm Length Wght:8kg Concrete	
Border Garden L Shape - 450mm Length Wght:14kg Concrete	
Border Garden L Shape - 600mm Length Wght:17kg Concrete	
Boarder Garden L Shape - 900mm Length Wght:25kg Concrete	
Boarder Garden L Shape - 1200mm Length Wght:34kg Concrete	
Boarder Garden L Shape - 1500mm Length Wght:42kg Concrete	
Boarder Garden L Shape - 1800mm Length Wght:50kg Concrete	

Corner L shape Internal/External 300mm each way – 15kg Concrete	
Boarder Low Profile Straight 250mm Concrete	10kg
Boarder Low Profile Straight 500mm Concrete	28kg
Boarder Low Profile Straight 750mm Concrete	28kg
Boarder Low Profile Straight 1000mm Concrete	45kg
Boarder Low Profile Curve , Concrete	
Corner Large low profile external 14kg Concrete	Wght
Corner Small low profile internal 8kg Concrete	Wght
Slabs	
Concrete Slab 300 x 300 x 40mm Weight 8kg	
Concrete Slab 450 x 450 x 40mm Weight 20kg	
Concrete Slab 450 x 450 x 50mm Weight 25kg	Full Pattern
Concrete Slab 450 x 450 x 50mm Weight 25kg	Non slip
Concrete Slab 450 x 450 x 50mm Weight 25kg	Pattern
Concrete Slab 450 x 450 x 50mm Weight 25kg	Ripple
Concrete Slab 600 x 300 x 40mm Weight 10kg	
Concrete Slab 600 x 600 x 40mm Weight 34.5kg	
Concrete Slab 600 x 600 x 50mm 46kg	Weight
Concrete Slab 600 x 600 x 50mm Weight 46kg	Full Pattern
Concrete Slab 600 x 600 x 50mm Weight 46kg	Non slip
Concrete Slab 6000 x 600 x 50mm Weight 46kg	Ripple
Concrete Slab 600 x 600 x 75mm 70kg	Weight
Concrete Slab 750 x 750 x 50mm	
Concrete Slab 750 x 450 x 50mm Weight 45kg	
Concrete Slab 900 x 450 x 50mm 50kg	Weight
Concrete Slab 900 x 600 x 50mm 70kg	Weight
Concrete Slab 1000 x 500 x 50mm Weight 60kg	
Concrete Slab 1100 x 500 x 50mm 70kg	Weight
Concrete Slab 680 x 60mm (Hex)	

Concrete Slab 780 x 60mm (Hex)	
Concrete Slab 450 x 450 x 40mm	
Weight 18kg, Exposed	
Concrete Slab 600 x 300 x 40mm	
Weight 10kg, Exposed	
Concrete Slab 600 x 600 x 50mm	
Weight 46kg, Exposed	
Concrete Slab B196900 x 600 x 50mm	
Weight 70kg, Exposed	
Stepping Stone, 300mm (Round)	
Weight 8kg, Exposed	
Stepping Stone, 375mm (Round)	
Weight 15kg, Exposed	
Stepping Stone, 450mm (Round)	
Weight 20kg, Exposed	
Stepping Stone, 375mm (Hex)	Weight
15kg, Exposed	
Stepping Stone, 450mm (Hex)	Weight
20kg, Exposed	
Slab Washing Machine	850 x
850 x 100mm, Wght 180kg	
Slab Washing Machine	850 x
850 x 50mm, Wght 90kg	
House Stumps	
House Stumps	450 Long
x 200w x 200mm high Concrete	
House Stumps	600 Long
x 200w x 200mm high Concrete	
House Stumps Made to Order Price/Mtr Concrete (Max 1500mm long)	
Drains	
Drain 75 wide x 87.5 deep x 1000mm long	20kg
Concrete	
Drain 100 wide x 87.5 deep x 1000mm Long	
30kg Concrete	
Drain 150 wide x 137.5 x 1000mm Long	
60kg Concrete	
Drain 200 wide x 1000mm Long	
60kg Concrete	
Drain 300 wide x 1000mm Long	80kg
Concrete	
Grates	
Drain Grate Gal 75 x 1000mm Lths – Light Duty 20mm bar spacing	
Drain Grate Gal 100 x 1000mm Lgth – Light Duty 20mm bar spacing	
Drain Grate Gal 150 x 1000mm Lgth – Light Duty 20mm bar spacing	
Drain Grate Gal 200 x 1000mm Lgth – Light Duty 20mm bar spacing	
Drain Grate Gal 300 x 1000mm Lgth – Light Duty 25mm bar spacing	
Drain Grate Gal 150 x 1000mm Lgth – Heavy Duty 25mm bar spacing	
Drain Grate Gal 200 x 1000mm Lgth – Heavy Duty 25mm bar spacing	

Drain Grate Gal 300 x 1000mm Lgth – Heavy Duty 25mm bar spacing	
<i>Step Treads</i>	
Step Tread 915 Long x 250 Wide x 50mm 33kg	Wght:
Step Tread 1000 Long x 250 Wide x 50mm Wght: 36.3kg	
Step Tread 1070 long x 250 wide x 50mm Wght: 38.5kg	
Step Tread 1220 long x 250 wide x 50mm Wght: 44kg	
<i>Memorial Markers</i>	
Memorial Marker Single x 200mm Concrete	260mm
Memorial Marker Double 300 Concrete	500
Memorial Marker Triple x 295mm Concrete	650mm
<i>Kerb Crossovers</i>	
Kerb Crossover Unit (Small) 610 wide x 550mm long (Wght: 90kg) Concrete	
Kerb Crossover Unit (Large) 610 wide x 720mm long (Wght: 90kg) Concrete	
Kerb- (to suit Crossovers) 1930mm Long (2/Set) 3860mm Overall Lgth Wght 100kg each. Concrete	
<i>Dry Mix</i>	
Concrete Dry Mix 20kg Bag	
Concrete Mortar 20kg Bag	
Concrete Dry Mix Per Ton	
Concrete Mortar Per Ton	
<i>Tree Rings</i>	
Tree Ring Small Rose – fancy edge - no mower strip 7kg Concrete	
Tree Ring Round 15" (375mm) L-shaped mower strip 18kg Concrete	
Tree Ring Square 15" (375mm) L-shaped mower strip 20kg Concrete	
Tree Ring Square 17" (430mm) – No mower strip 20kg Concrete	
Tree Ring Round 24" (600mm) L-Shaped mower strip 28kg Concrete	
Tree Ring Square 24" (600mm) Low profile mower strip 28kg Concrete	
<i>Gas surrounds</i>	
Gas Metre Surround 240mm Concrete	
Gas Metre Surround 300mm Concrete	
<i>Miscellaneous</i>	
Post Top Small Wght 15kg 395mm	395mm x
Post Top Large Wght 24kg 495mm x 495mm	
Seat End With Back Wght 60kg Concrete	
Seat Complete With Timber Concrete	
Seat Easy Rest 1800mm long Plain Concrete	

Seat Easy Rest 1800mm long Exposed Agg Concrete	
Vehicle Stop (Small) long x 150wide 54kg	1800
Vehicle Stop (Large) long x 200 wide 130kg	2000
Crematorium Boarder (Small) 15Kg Concrete 430mm x 430mm	
Crematorium Boarder (Large) 25Kg Concrete 600mm x 600mm	
QR Products	
QR Pit Type 1 Bottomless with Galv Steel Lid & Hinges	
QR Pit Type 1 Standard with Galv Steel Lid & Hinges	
QR Pit Type 1 Standard Bottomless – NO LID	
QR Pit Type 1 Standard – NO LID	
QR Pit Type 2 Standard with Galv Steel Lid & Hinges	
QR Pit Type 2 Bottomless with Galv Steel Lid & Hinges	
QR Pit Type 2 Bottomless Pit – NO LID	
QR Pit Flashing Light Concrete	
QR Base Location Half Width (520 x 520mm)	
QR EB Bases Concrete	
QR Base Location (920 x 520mm)	
QR Base Location Double Width (1840 x 520mm)	